


Uppgjord (även faktaansvarig om annan)- Prepared (also subject responsible if other)		Nr - No		
XSNABEM		1301-KRE 101 1775 Uen		
Dokansv/Godk - Doc resons/Approved	Kontr - Checked	Datum - Date	Rev	File
EAB/PJR/ST (L-O Fager)		2005-10-17	B	

ANTENNA



1 GENERAL

1.1 DESCRIPTION

900 MHz panel antenna for base stations. Two independent systems for +45° and -45° polarisation covered by a fibre glass radome. Coaxial network feeding system.

Uppgjord (även faktaansvarig om annan)- Prepared (also subject responsible if other)		Nr - No	
XSNABEM		1301-KRE 101 1775 Uen	
Dokansv/Godk - Doc resons/Approved	Kontr - Checked	Datum - Date	Rev
EAB/PJR/ST (L-O Fager)		2005-10-17	B
			File

2.3 DIMENSIONS

Height: 2580 mm
 Width: 262 mm
 Depth: 116 mm
 Weight: 22.6 kg

3 ENVIRONMENTAL ENDURANCE

According to 4/1029-COA 109 120 Uen.

4 INTERNAL INFORMATION

Supplier: Kathrein, Germany

5 PRODUCT LIST

Product no	Supplier code
KRE 101 1775/1	*)

*) Consisting of:
 antenna: 739 650
 tilt bracket: 737 971
 clamps: 738 546 (2 pcs)